

Instalação DA

Para realizar instalação no DirectAdmin vamos precisar ajustar os SPF

No Sender25, criar a organização e servidor
Criar chave API e chave SMTP

baixar o script de instalação do hook

```
curl -fsSLk https://sender25.com/downloads/sender25 -o sender25 && chmod +x sender25 && ./sender25
```

Para instalar basta executar o comando como o exemplo abaixo

```
./sender25 --install TOKEM https://app.sender25.com
```

Substituir o TOKEM pela chave da API gerada anteriormente

Após a instalação adicionar domínios ao sender25

```
sender25 --addalldomains
```

Caso tenha instalado o sender25 e esquecido de adicionar os domínios, efetuar a desinstalação e instalar novamente

Ajustar SPF e incluir a entrada abaixo em todos os domínios

```
+include:_spf.sender25.com
```

Para novos registro pode ajustar o SPF padrão na seguinte pasta.

```
vim /usr/local/directadmin/data/templates/custom/dns_txt.conf
```

Conteudo

```
|DOMAIN|.="v=spf1 a mx ip4:|SERVER_IP||EXTRA_SPF||SPF_IPV6| include:_spf.sender25.com -all"
```

Para ajustar o nome do selector, execute o comando abaixo
Selector é o nome da chave dkim.

```
/usr/local/directadmin/directadmin set dkim_selector default restart
```

Para ajustar Dkim no DirectAdmin

Para que novas contas já venham com dkim automaticamente realize os passos abaixo

```
/usr/local/directadmin/directadmin set dkim 1 restart  
cd /usr/local/directadmin/custombuild  
./build update && ./build exim && ./build eximconf
```

Precisamos ajustar 3 arquivos para que o EXIM do DA funcione corretamente, sendo:

/etc/exim.routers.pre.conf

```
smart_route_forward:  
  driver = manualroute  
  domains = ! +local_domains  
  ignore_target_hosts = 127.0.0.0/8  
  condition = ${if !eq{$original_domain}{$domain}}  
  condition = ${if !eq{$original_domain}{}}  
  condition = "${perl{check_limits}}"  
  transport = auth_relay_forward  
  route_list = * smtp.sender25.net::2525  
  no_more  
  
smart_route:  
  driver = manualroute  
  domains = ! +local_domains  
  ignore_target_hosts = 127.0.0.0/8  
  condition = "${perl{check_limits}}"  
  transport = auth_relay  
  route_list = * smtp.sender25.net::2525  
  no_more
```

/etc/exim.transports.pre.conf

```
auth_relay:
    driver = smtp
    message_linelength_limit = 52428800
    port = 25
    hosts_require_auth = $host_address
    hosts_require_tls = $host_address
    headers_add = "${if def:authenticated_id{X-Authenticated-Id: ${authenticated_id}}}"
    interface = <; ${if
exists{/etc/virtual/domainips}${lookup{$sender_address_domain}lsearch*/etc/virtual/domainips}}
    helo_data = ${if
exists{/etc/virtual/helo_data}${lookup{$sending_ip_address}iplsearch{/etc/virtual/helo_data}{$value}{$primary_hostname}}${$primary_hostname}}
    hosts_try_chunking =
    hosts_try_fastopen =

auth_relay_forward:
    driver = smtp
    message_linelength_limit = 52428800
    port = 25
    hosts_require_auth = $host_address
    hosts_require_tls = $host_address
    headers_add = "${if def:authenticated_id{X-Authenticated-Id: ${authenticated_id}}}"
    interface = <; ${if
exists{/etc/virtual/domainips}${lookup{$sender_address_domain}lsearch*/etc/virtual/domainips}}
    helo_data = ${if
exists{/etc/virtual/helo_data}${lookup{$sending_ip_address}iplsearch{/etc/virtual/helo_data}{$value}{$primary_hostname}}${$primary_hostname}}
    hosts_try_chunking =
    hosts_try_fastopen =
    max_rcpt = 1
    return_path = ${srs_encode {SRS_SECRET} ${return_path} ${original_domain}}
```

/etc/exim.authenticators.post.conf

```
auth_login:
    driver = plaintext
    public_name = LOGIN
    #specify your mailchannels SMTP user and password below
```

```
hide client_send = : USUARIO : SENHA
```

Alterar USUARIO por ORGANIZACAO/NOMEDOSERVER que vem do Sender25
Alterar SENHA pela chave SMTP gerada no painel do sender

É necessário liberar o ip do sender25 no Firewall do DirectAdmin.

Neste exemplo nós utilizamos o host smtp.sender25.net, sendo 142.44.140.252

Adicionar ip do servidor Sender a lista de ips liberados.

Liberar IP no Firewall

```
csf -a 142.44.140.252 sender25
```

Restart Firewall

```
csf -r
```

Agora por ultimo, reinicie o exim para aplicar as configurações

```
systemctl restart exim.service  
./build eximconf
```

Revision #16

Created 26 September 2022 13:57:17 by Anderson Ouverney

Updated 15 April 2025 18:58:57 by Gabriel Prado